A DIVISION OF GENESIS CLINICAL DIAGNOSTICS
A MEMBER OF GENESIS BIOTECHNOLOGY GROUP

MEDICAL DIAGNOSTIC LABORATORIES
2439 Kuser Road • Hamilton, NJ 08690-3303
(609) 570-1000 • Fax (609) 245-7665
Toll Free (877) 269-0090
www.mdlab.com

CAP ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

Urgent Care Test Requisition Form

Ordering Physician/Laboratory

(Required: Include the ordering physician's first & last name, NPI, practice name, complete address, phone number and fax number.)

Physician to receive additional result report:

Physician's Signature: | Date:

Patient Information (Please Print)

Name (Last, First) (Required):

In Care of:

Patient Address:

City: | State: | Zip:

Assigned Sex at Birth (Required): ☐ Female ☐ Male | Date of Birth (Required): | Patient ID#:

Phone Number: ☐ Cell Phone ☐ Home Phone

Race: ☐ Alaska Native or American Indian ☐ Asian ☐ Black or African American ☐ Multiracial ☐ Native Hawaiian or other Pacific Islander ☐ Other race ☐ White ☐ Does not wish to disclose ☐ Not provided

Ethnicity: ☐ Hispanic or Latino ☐ Not Hispanic or Latino ☐ Unknown

Gender Identity: ☐ Male ☐ Female ☐ Gender nonconforming ☐ Transgender male-to-female ☐ Transgender female-to-male ☐ Does not wish to disclose ☐ Not provided ☐ Not applicable

Sexual Orientation: ☐ Bisexual ☐ Straight ☐ Gay or Lesbian ☐ Something else ☐ Does not wish to disclose ☐ Not provided ☐ Not applicable

Billing Information (Please include a copy of the front & back of card.)

Billing Type: ☐ Patient ☐ Insurance ☐ Client | Relation (Required): ☐ Self ☐ Spouse ☐ Dependant

Insured's Name (if not patient):

Insured's SS#: | Insured's DOB:

Primary Insurance Carrier: | Medicare, Medicaid or Policy ID#:

Claims Address:

Employer/Group Name: | Group#:

Specimen Information

Date Collected (Required): | Specimen Type: | Specimen Source:

☐ ***One*Swab®**: _____
☐ ThinPrep®: _____
☐ ***Nasо*Swab®**: _____
☐ ***Uro*Swab®**: _____

Was ***Uro*Swab®** collected from a catheterized patient? ☐ Yes

For ThinPrep testing, including Pap & molecular, please refer to the back of this requisition form.

Sexually Transmitted Infections - *OneSwab® or ThinPrep®*

Common ICD10 codes (required):
N89.8 ☐ Other specified noninflammatory disorders of vagina
Z20.2 ☐ Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission
N76.4 ☐ Abscess of vulva
☐ Other:_____

121 ☐ Leukorrhea Panel Includes-
105 ☐ *Chlamydia trachomatis* (*Reflex to antibiotic resistance by Molecular Analysis),
167 ☐ *Neisseria gonorrhoeae* (*Reflex to antibiotic resistance by Molecular Analysis)
111 ☐ *Trichomonas vaginalis* (*Reflex to **M** resistance),
129 ☐ *Mycoplasma genitalium* (*Reflex to antibiotic resistance by Molecular Analysis)

115 ☐ Genital Ulcer Disease Panel Includes -
122 ☐ *Haemophilus ducreyi* 126 ☐ Herpes subtype (HSV-1, HSV-2) 110 ☐ *Treponema pallidum* (syphilis)

Vaginitis & Vaginosis - *OneSwab® or ThinPrep®*

Common ICD10 codes (required):
N76.0 ☐ Acute vaginitis
N89.8 ☐ Other specified noninflammatory disorders of vagina
R10.2 ☐ Pelvic and perineal pain
☐ Other:_____

759 ☐ Bacterial Vaginosis (BV) Panel with Lactobacillus Profiling by qPCR Includes -
Fannyhessea vaginae (*Atopobium vaginae*), BVAB1, BVAB2, BVAB3, *Bacteroides fragilis, Bifidobacterium breve, Megasphaera* Type 1 & 2, *Gardnerella vaginalis, Mobiluncus curtisii, M. mulieris, Prevotella bivia, Sneathia sanguinegens, Streptococcus anginosus*

182 ☐ Aerobic Vaginitis (AV) Panel Includes -
127 ☐ Group B Streptococcus (GBS) 141 ☐ *Escherichia coli*
184 ☐ *Staphylococcus aureus* 153 ☐ *Enterococcus faecalis*

560 ☐ Candida Vaginitis Panel Includes -
551 ☐ *Candida albicans* 559 ☐ *Candida glabrata*
558 ☐ *Candida parapsilosis* 557 ☐ *Candida tropicalis*
566 ☐ *Candida krusei*

134 ☐ Urogenital Mycoplasma & Ureaplasma Panel
Includes - 129 ☐ *Mycoplasma genitalium* (*Reflex to antibiotic resistance by Molecular Analysis) 130 ☐ *Mycoplasma hominis*, 320 ☐ *Ureaplasma urealyticum* (*Reflex to antibiotic resistance by Molecular Analysis)

Respiratory Pathogens - *NasoSwab®* Pediatric & Adult

Common ICD10 codes (required):
J06.0 ☐ Acute upper respiratory infection, unspecified
J11.1 ☐ Influenza due to unidentified influenza virus with other respiratory manifestations
R05.9 ☐ Cough, unspecified
☐ Other: _____

1139 ☐ Bacterial Respiratory Panel Includes -
1101 ☐ *Bordetella parapertussis* 336 ☐ *Mycoplasma pneumoniae*
1102 ☐ *Bordetella pertussis* 1111 ☐ *Streptococcus pneumoniae*
319 ☐ *Chlamydophila pneumoniae*

1135 ☐ Viral Respiratory Panel Includes -
222 ☐ Adenovirus
1115 ☐ Human Coronavirus (Human Coronaviruses 229E, OC43, NL-63)
1105 ☐ Human Metapneumovirus
1136 ☐ Influenza A and Influenza B by Multiplex CFX rRT-PCR
1110 ☐ Parainfluenza Viruses 1-4
1116 ☐ RSV A & RSV B by Multiplex Real-Time PCR
1127 ☐ Rhinovirus and Enterovirus
1131 ☐ SARS-CoV-2 [COVID-19] by Real-Time Reverse Transcription PCR (CDC N1, N2, RP targets)£

1112 ☐ Group A Streptococcus
1117 ☐ *Haemophilus influenzae*
1118 ☐ MRSA: Methicillin Resistant and Methicillin Susceptible (MSSA) *Staphylococcus aureus* by Conventional PCR
1119 ☐ CA-MRSA: Community-Associated MRSA. Panton-Valentine Leukocidin (PVL) DNA**(Type IV MRSA + #1118 Req.) [Community Associated MRSA = Type IV MRSA+ and PVL+]

UTI & STI - *UroSwab®* *Refer to the back for antibiotic abbreviation key*

Common ICD10 codes (required):
N39.0 ☐ Urinary tract infection, site not specified
R30.0 ☐ Dysuria
R30.1 ☐ Vesical tenesmus
☐ Other: _____

176 ☐ Urinary Pathogens Antibiotic Resistance* Includes -
141 ☐ *Escherichia coli* - **AC, C, TS, N, CP, F**
153 ☐ *Enterococcus faecalis* - **A, N, CP, F, D, L**
154 ☐ *Enterococcus faecium* - **A, N, CP, F, D, L**
728 ☐ *Klebsiella pneumoniae* - **AC, C, TS, N, CP, F**
727 ☐ *Klebsiella oxytoca* - **AC, C, TS, N, CP, F**
146 ☐ *Proteus mirabilis* - **AC, C, TS, N, CP, F**
174 ☐ *Pseudomonas aeruginosa* - **CF, PT, I, A, G**
*(141, 153, 154, 728, 727, 146 or 174 Req. When panel is ordered and individual tests are not selected, all 7 will be performed & billed)

Common ICD10 codes (required):
Z20.2 ☐ Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission
R36.9 ☐ Urethral discharge, unspecified
R30.9 ☐ Painful micturition, unspecified
☐ Other: _____

SEXUALLY TRANSMITTED INFECTIONS Applicable for adolescent females who are not candidates for pelvic exams.

121 ☐ Leukorrhea Panel Includes - 105 ☐ *Chlamydia trachomatis* (*Reflex to antibiotic resistance by Molecular Analysis), 167 ☐ *Neisseria gonorrhoeae* (*Reflex to antibiotic resistance by Molecular Analysis), 111 ☐ *Trichomonas vaginalis* (*Reflex to **M** resistance)
129 ☐ *Mycoplasma genitalium* (*Reflex to antibiotic resistance by Molecular Analysis)
109 ☐ *N. gonorrhoeae** & *C. trachomatis**
110 ☐ *Treponema pallidum* (syphilis)

HPV Testing - *OneSwab® or ThinPrep®*

Common ICD10 codes (required):
Z01.411 ☐ Encounter for gynecological examination (general) (routine) with abnormal findings
Z01.419 ☐ Encounter for gynecological examination (general) (routine) without abnormal findings
Z11.51 ☐ Encounter for screening for human papillomavirus (HPV)
☐ Other:_____

739 ☐ HPV Type-Detect® 4.0 by Multiplex Real-Time PCR (Includes HPV Types:16, 18, 45, 58, 35, 51, 52, 56, 39, 31, 33, 59, 68)
795 ☐ HPV Type-Detect® 4.0 (High Risk Subtypes only, reflex to Vaginal Dysbiosis)

Skin & Soft Tissue Infections - *OneSwab®*

Common ICD10 codes (required):
A49.9 ☐ Bacterial infection, unspecified B99.8 ☐ Other infectious disease B99.9 ☐ Unspecified infectious disease (opportunistic) ☐ Other: _____

366 ☐ Skin & Soft Tissue Infections (SSTI) Panel Includes -125 ☐ *Bacteroides fragilis*, 153 ☐ *Enterococcus faecalis*, 141 ☐ *E. coli*, 1112 ☐ Group A Streptococcus, 127 ☐ Group B Streptococcus (GBS), 727 ☐ *Klebsiella oxytoca*, 728 ☐ *Klebsiella pneumoniae*, 1118 ☐ MRSA: Methicillin Resistant and Methicillin Susceptible (MSSA) *Staphylococcus aureus* by Conventional PCR, 1119 ☐ CA-MRSA: Community-Associated MRSA. Panton-Valentine Leukocidin (PVL) DNA**(Type IV MRSA + #1118 Req.) [Community Associated MRSA = Type IV MRSA+ and PVL+], 362 ☐ Prevotella species Group 1 (*P. bivia, P. disiens, P. intermedia, P. melaninogenica*), 363 ☐ Prevotella species Group 2 (*P. corporis, P. albensis*), 146 ☐ *Proteus mirabilis*, 174 ☐ *Pseudomonas aeruginosa* 368 ☐ *Fusobacterium* species, 553 ☐ *Aspergillus fumigatus*

367 ☐ SSTI Panel Antibiotic Resistance Includes - [*E. faecalis*, *E. coli*, GAS, GBS, *K. oxytoca*, *K. pneumoniae*, *P. mirabilis*, *P. aeruginosa*, MRSA: **AC**, **AM** (for *E. faecalis*), **C**, **CL**, **D**, **TS**, **CP**, **CF**, **PT**, **I**, **G**] (153, 141, 1112, 127, 727, 728, 146, 174, or 1118 Req.) When panel is ordered and individual tests are not selected, all 9 will be performed & billed)

593 ☐ *Candidozyma auris*

Refer to the back for antibiotic abbreviation key.

Pathology Testing

Date Collected (Required):

Anatomic Source (Required): ☐ Cervix/Endocervix ☐ Vagina ☐ Vaginal Cuff ☐ Other:

Date of Last Pap:

Date of LMP:

Previous Results: ☐ Normal ☐ Reactive ☐ Other ☐ ASCUS ☐ LGSIL ☐ HGSIL ☐ CIN 1 ☐ CIN 2 ☐ CIN 3

Check all that apply:

- ☐ Bilateral, tubal ligation
- ☐ Biopsy today
- ☐ Colposcopy
- ☐ Depo Provera
- ☐ Estrogen replacement therapy
- ☐ H/O abnormal pap
- ☐ H/O neoplasm ovary
- ☐ H/O neoplasm of cervix
- ☐ H/O neoplasm of vulva
- ☐ H/O neoplasm uterus/corpus uteri
- ☐ High glandular previous lesion
- ☐ Hormone
- ☐ Hysterectomy (Supracervical)
- ☐ Hysterectomy (Total or Radical)
- ☐ IUD
- ☐ Lactating
- ☐ Menopausal
- ☐ Menopausal/Hormone
- ☐ Menopausal/Hysterectomy
- ☐ Oral contraceptives
- ☐ Post menopausal
- ☐ Post partum
- ☐ Pregnant
- ☐ Previous cone/LEEP
- ☐ Radiation/Chemotherapy
- ☐ Other:

Common ICD10 codes (required):

Z01.411 ☐ Encounter for gynecological examination (general) (routine) with abnormal findings

Z01.419 ☐ Encounter for gynecological examination (general) (routine) without abnormal findings

Z11.51 ☐ Encounter for screening for human papillomavirus (HPV)

☐ Other:

Liquid Pap only	Ages 21 and older:	Ages 30 and older:
1301 ☐ Liquid Pap Test	1302 ☐ 1301 with Reflex HPV if ASCUS or greater	1304 ☐ 1301 with HPV
	1331 ☐ 1301 with Reflex HPV if ASCUS or greater, with reflex to Vaginal Dysbiosis	1333 ☐ 1301 with HPV with reflex to Vaginal Dysbiosis

HPV Test:

739 ☐ HPV Type-Detect® 4.0 by Multiplex Real-Time PCR **(Includes HPV Types:16, 18, 45, 58, 35, 51, 52, 56, 39, 31, 33, 59, 68)**

Antibiotic Abbreviations Key

A = aztreonam **AC**= amoxicillin-clavulanic acid, **AP** = ampicillin, **AZ** = azithromycin, **CC** = ceftriaxone/cefixime, **C** = cephalothin (cephalexin), **CF** = cefepime, **CP** = ciprofloxacin, **CL** = clindamycin, **D** = doxycycline, **F** = fosfomycin, **FL** = fluoroquinolone **G** = gentamicin, **I** = imipenum, **L** = linezolid, **M** = metronidazole **N** = nitrofurantoin, **PT** = piperacillin-tazobactam, **TS** = trimethoprim-sulfamethoxazole.

Medical Necessity Guidelines:

Physicians must only order tests that they have determined are medically necessary for the diagnosis and treatment of a patient. MDL offers individual tests, as well as a limited number of customized panels. MDL provides practitioners with the flexibility to choose appropriate individual tests for each specimen to assure that the convenience of ordering panels does not impede them from ordering tests/panels that are medically necessary. All tests listed in panels may be ordered individually using this test requisition form. If you choose to order a panel, please make certain that each and every test is medically necessary. If you check off a panel as your choice, MDL understands that the physician has determined that all of the component tests are medically necessary, and will perform, report and bill for all such component tests.

** This test can only be performed when the test in parenthesis is positive. All tests performed will be billed.

OneSwab® & *UroSwab®* are registered in the USPTO.

Test by Real-Time PCR unless otherwise specified.

Specimen Collection Platform		TAT*	Stability	Test Additions¥	Specimen Collection
OneSwab®		24 - 72 hours	7 days	30 days to add tests	1. Collect specimen with the sterile swab provided. 2. Insert swab into the transport media, break off swab handle, and tightly re-secure the cap on the transport media vial.
UroSwab®		24 - 72 hours	4 days	14 days to add tests	1. Have patient collect a urine specimen in a collection cup. 2. Dip the sponge swab into collection cup to absorb the urine. 3. Tightly re-secure the cap on the vial.
ThinPrep®	Pap Testing	7 - 10 days	7 days	6 weeks to add Pap testing	1. Obtain an adequate sample: • **Endocervical brush** - Insert brush into the cervix until only the bottom-most fibers are exposed. Slowly rotate 1/4 or 1/2 turn in one direction. DO NOT OVER-ROTATE. • **Broom** -Insert the central bristles of the broom into the endocervical canal deep enough to allow the shorter bristles to fully contact the ectocervix. Push gently, and rotate the broom in a clockwise direction five times. • **Spatula** - place contoured end against exocervix and rotate 360 degrees around the entire surface. 2. Rinse in the PreservCyt® solution by swirling vigorously 10times. 3. Tighten the cap so that the torque line on the cap passes the torque line on the vial.
	Molecular	24 - 72 hours	7 days	30 days to add tests	
NasoSwab®		24 - 48 hours	5days	30 days to add tests	1. Tilt the patient's head slightly upwards. Insert the brush end downwards into the nostril all the way to the guard. Be sure to direct the swab down towards the throat and not up towards the forehead. Rotate the swab 360º. 2. Insert swab into the transport media, break off swab handle, and tightly re-secure the cap on the transport media vial.

** Up to 72 hours with reflex/antiobiotic resistance testing* *¥ Pending QC review for sufficient specimen volume*

Specimen Packaging:

1. Label every vial with a minimum of 2 patient identifiers including the patient's name and date of birth. Be sure the name on the vial is written exactly the same way as on the test requisition form.
2. Place the vial into the Styrofoam/Cardboard container. You can fit up to 3 vials in one container.
3. Place the Styrofoam/Cardboard container into the central pocket of a biohazard bag containing absorbent material.
4. Place a completed test requisition form for each vial in the front pocket of the biohazard bag.
5. Place the biohazard bag into the prepaid Lab pack Envelope that has a preaddressed airbill attached. One envelope will accommodate 6-7 containers. Package as many containers in one Labpack as possible.
6. Be sure to seal the Lab pack by removing the plastic from the top of the adhesive.

Specimen Pick-up:

- If you have a specimen pick-up for a local courier in the NJ, PA, DE, D.C., MD, VA, KS, MO or Phoenix, AZ area, please call (877) 205-0005 no later than 2 hours prior to the closing of your facility.
- If you have a specimen pick-up, please call your sales representative or MDL customer service at 877.269.0090 no later than 2 hours prior to the closing of your facility.

Supply Orders:

Easily place supply orders online by visiting our website **http://www.mdlab.com/physicians/supplies/#**

Supply orders may also be placed by contacting our Client Services department toll free 877.269.0090 or by fax 609.570.1050. Supply requests are processed and shipped on a daily basis. Please allow 3 to 5 business days for delivery, depending upon your location.